



THICKNESS	ID OF CURTS	HORIZ.	VERT.
12"	1	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	2	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	3	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	4	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	5	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	6	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	7	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	8	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	9	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	10	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	11	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	12	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	13	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	14	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	15	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	16	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	17	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	18	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	19	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	20	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	21	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	22	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	23	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	24	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	25	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	26	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	27	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	28	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	29	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	30	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	31	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	32	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	33	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	34	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	35	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	36	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	37	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	38	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	39	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	40	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	41	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	42	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	43	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	44	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	45	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	46	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	47	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	48	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	49	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	50	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	51	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	52	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	53	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	54	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	55	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	56	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	57	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	58	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	59	#4 @ 12" o.c.	#4 @ 12" o.c.
12"	60	#4 @ 12" o.c.	#4 @ 12" o.c.

GENERAL NOTES - MASONRY

1. ALL WALLS & PARTITIONS SHALL BE BUILT W/ STANDARD WEIGHT PURE-WALL EVERY OTHER BRICK JOINT.
2. ALL BRICK SHALL BE STRENGTH 2000 P.S.I. FULL BODY OF WALL, EXCEPTING CROSS JOBS BETWEEN UNITS.
3. ALL COURSES & INTERSECTIONS SHALL BE BUILT AS ACCOMPANIED BY REINFORCING STRIPS OF MESH TO BOND UNITS.
4. WHERE WALLS OR PARTITIONS BUILT INTO CONC. COLS OR WALLS, PROVIDE BENTONITE ANCHORS AS DETAILLED.
5. WHERE BRICK OR BLOCK EXIST AS PART OF CONC. COLS OR WALLS, PROVIDE BENTONITE ANCHORS AS DETAILLED.
6. AT INSULATED CAVITY WALLS PLACE INSUL. IN STRIPS BETWEEN LINES OF REINFORCING.
7. AT ALL BRICK AND BLOCK WALLS, BRICK OR BLOCK WALLS SHALL BE FULL WIDTH OF WALL & IN CONTACT WITH CONCRETE.
8. PROVIDE 10 #5 BARS IN BRICK OVER ALL EXTERIOR DOOR FRAMES, FILL IN BRICK WEEDPORT EXTEND OVER BRICK.
9. PROVIDE 10 #5 BARS IN BRICK OVER ALL EXTERIOR DOOR FRAMES, FILL IN BRICK WEEDPORT EXTEND OVER BRICK.
10. BRICK JOINTS TO BE BY EXTENDED WATER COURSE, EXCEPT CITY & COUNCIL.
11. BRICK JOINTS TO BE BY EXTENDED WATER COURSE, EXCEPT CITY & COUNCIL.
12. BRICK JOINTS TO BE BY EXTENDED WATER COURSE, EXCEPT CITY & COUNCIL.
13. BRICK JOINTS TO BE BY EXTENDED WATER COURSE, EXCEPT CITY & COUNCIL.
14. BRICK JOINTS TO BE BY EXTENDED WATER COURSE, EXCEPT CITY & COUNCIL.

GENERAL NOTES - CONCRETE

1. ALL CONCRETE SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH OF 3000 P.S.I. (CYLINDERS).
2. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
3. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
4. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
5. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
6. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
7. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
8. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
9. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
10. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
11. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
12. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
13. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
14. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
15. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
16. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
17. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
18. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
19. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
20. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
21. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
22. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
23. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
24. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
25. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
26. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
27. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
28. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
29. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:
30. ALL CONCRETE SHALL BE PLACED & FINISHED IN ACCORDANCE WITH THE FOLLOWING:

SWIMMING POOL FOUNDATION PLAN

PHYSICAL EDUCATION BUILDING
 EASTERN MONTANA COLLEGE OF EDUCATION
 Billings

Architect: **terrell and ASSOCIATED ARCHITECTS**
 Montana

DATE: 12-1-60

SCALE: AS SHOWN

